

BARRE PLATE

HOT ROLLED Vendu généralement en 10' / 20'

COLD ROLLED ET ALLIAGE Vendu généralement en 10-12' R/L / 18-24' RL

Possibilité d'être vendu coupé sur mesure

FORMAT		POIDS AU PIED	POIDS AU MÈTRE
IMPÉRIAL (")	MÉTRIQUE (MM)	EN LBS	EN KG
1/8	3,18		
1/8 X 1/2	3,18 X 12,7	0,213 lbs	0,317 kg
1/8 X 3/4	3,18 X 19,1	0,319 lbs	0,475 kg
1/8 X 1	3,18 X 25,4	0,425 lbs	0,632 kg
1/8 X 1 1/4	3,18 X 31,8	0,531 lbs	0,790 kg
1/8 X 1 1/2	3,18 X 38,1	0,638 lbs	0,949 kg
1/8 X 1 3/4	3,18 X 44,5	0,744 lbs	1,107 kg
1/8 X 2	3,18 X 50,8	0,850 lbs	1,265 kg
1/8 X 2 1/4	3,18 X 57,2	0,956 lbs	1,423 kg
1/8 X 2 1/2	3,18 X 63,5	1,062 lbs	1,580 kg
1/8 X 2 3/4	3,18 X 69,9	1,169 lbs	1,740 kg
1/8 X 3	3,18 X 76,2	1,273 lbs	1,894 kg
1/8 X 3 1/2	3,18 X 88,9	1,490 lbs	2,217 kg
1/8 X 4	3,18 X 101,6	1,700 lbs	2,530 kg
1/8 X 4 1/2	3,18 X 114,3	1,913 lbs	2,847 kg
1/8 X 5	3,18 X 127,0	2,125 lbs	3,162 kg
1/8 X 6	3,18 X 152,4	2,550 lbs	3,795 kg
1/8 X 8	3,18 X 203,2	3,400 lbs	5,060 kg
1/8 X 10	3,18 X 254,0	4,250 lbs	6,325 kg
1/8 X 12	3,18 X 304,8	5,100 lbs	7,590 kg
3/16	4,76		
3/16 X 1/2	4,76 X 12,7	0,319 lbs	0,475 kg
3/16 X 3/4	4,76 X 19,1	0,478 lbs	0,711 kg
3/16 X 1	4,76 X 25,4	0,638 lbs	0,949 kg
3/16 X 1 1/4	4,76 X 31,8	0,797 lbs	1,186 kg
3/16 X 1 1/2	4,76 X 38,1	0,956 lbs	1,423 kg
3/16 X 1 3/4	4,76 X 44,5	1,120 lbs	1,667 kg
3/16 X 2	4,76 X 50,8	1,280 lbs	1,905 kg
3/16 X 2 1/4	4,76 X 57,2	1,430 lbs	2,128 kg
3/16 X 2 1/2	4,76 X 57,2	1,590 lbs	2,366 kg
3/16 X 3	4,76 X 76,2	1,910 lbs	2,842 kg
3/16 X 3 1/2	4,76 X 88,9	2,230 lbs	3,319 kg
3/16 X 4	4,76 X 101,6	2,550 lbs	3,795 kg
3/16 X 4 1/2	4,76 X 114,3	2,870 lbs	4,271 kg
3/16 X 5	4,76 X 127,0	3,190 lbs	4,747 kg
3/16 X 6	4,76 X 152,4	3,830 lbs	5,700 kg
3/16 X 8	4,76 X 203,2	5,100 lbs	7,590 kg
3/16 X 10	4,76 X 254,0	6,380 lbs	9,494 kg
3/16 X 12	4,76 X 304,8	7,650 lbs	11,384 kg

1/4	6,35		
1/4 X 1/2	6,35 X 12,7	0,425 lbs	0,632 kg
1/4 X 3/4	6,35 X 19,1	0,638 lbs	0,949 kg
1/4 X 1	6,35 X 25,4	0,850 lbs	1,265 kg
1/4 X 1 1/4	6,35 X 31,8	1,063 lbs	1,582 kg
1/4 X 1 1/2	6,35 X 38,1	1,275 lbs	1,897 kg
1/4 X 1 3/4	6,35 X 44,5	1,488 lbs	2,214 kg
1/4 X 2	6,35 X 50,8	1,700 lbs	2,530 kg
1/4 X 2 1/4	6,35 X 57,2	1,910 lbs	2,842 kg
1/4 X 2 1/2	6,35 X 63,5	2,130 lbs	3,170 kg
1/4 X 3	6,35 X 76,2	2,550 lbs	3,795 kg
1/4 X 3 1/2	6,35 X 88,9	2,980 lbs	4,435 kg
1/4 X 4	6,35 X 101,6	3,400 lbs	5,060 kg
1/4 X 4 1/2	6,35 X 114,3	3,830 lbs	5,700 kg
1/4 X 5	6,35 X 127,0	4,250 lbs	6,325 kg
1/4 X 6	6,35 X 152,4	5,100 lbs	7,590 kg
1/4 X 7	6,35 X 177,8	5,950 lbs	8,855 kg
1/4 X 8	6,35 X 203,2	6,800 lbs	10,120 kg
1/4 X 10	6,35 X 254,0	8,500 lbs	12,649 kg
1/4 X 12	6,35 X 304,8	10,200 lbs	15,179 kg
5/16	7,94		
5/16 X 1/2	7,94 X 12,7	0,531 lbs	0,790 kg
5/16 X 3/4	7,94 X 19,1	0,797 lbs	1,186 kg
5/16 X 1	7,94 X 25,4	1,060 lbs	1,577 kg
5/16 X 1 1/4	7,94 X 31,8	1,330 lbs	1,979 kg
5/16 X 1 1/2	7,94 X 38,1	1,590 lbs	2,366 kg
5/16 X 1 3/4	7,94 X 44,5	1,860 lbs	2,768 kg
5/16 X 2	7,94 X 50,8	2,130 lbs	3,170 kg
5/16 X 2 1/4	7,94 X 57,2	2,390 lbs	3,557 kg
5/16 X 2 1/2	7,94 X 63,5	2,660 lbs	3,959 kg
5/16 X 3	7,94 X 76,2	3,190 lbs	4,747 kg
5/16 X 3 1/2	7,94 X 88,9	3,720 lbs	5,536 kg
5/16 X 4	7,94 X 101,6	4,250 lbs	6,325 kg
5/16 X 4 1/2	7,94 X 114,3	4,780 lbs	7,113 kg
5/16 X 5	7,94 X 127,0	5,310 lbs	7,902 kg
5/16 X 6	7,94 X 152,4	6,380 lbs	9,494 kg
5/16 X 7	7,94 X 177,8	7,440 lbs	11,072 kg
5/16 X 8	7,94 X 203,2	8,500 lbs	12,649 kg
5/16 X 10	7,94 X 254,0	10,630 lbs	15,819 kg
5/16 X 12	7,94 X 304,8	12,750 lbs	18,974 kg

3/8	9,53		
3/8 X 1/2	9,53 X 12,7	0,638 lbs	0,949 kg
3/8 X 3/4	9,53 X 19,1	0,956 lbs	1,423 kg
3/8 X 1	9,53 X 25,4	1,280 lbs	1,905 kg
3/8 X 1 1/4	9,53 X 31,8	1,590 lbs	2,366 kg
3/8 X 1 1/2	9,53 X 38,1	1,910 lbs	2,842 kg
3/8 X 1 3/4	9,53 X 44,5	2,230 lbs	3,319 kg
3/8 X 2	9,53 X 50,8	2,550 lbs	3,795 kg
3/8 X 2 1/4	9,53 X 57,2	2,870 lbs	4,271 kg
3/8 X 2 1/2	9,53 X 63,5	3,190 lbs	4,747 kg
3/8 X 2 3/4	9,53 X 69,9	3,510 lbs	5,223 kg
3/8 X 3	9,53 X 76,2	3,830 lbs	5,700 kg
3/8 X 3 1/2	9,53 X 88,9	4,460 lbs	6,637 kg
3/8 X 4	9,53 X 101,6	5,100 lbs	7,590 kg
3/8 X 4 1/2	9,53 X 114,3	5,740 lbs	8,542 kg
3/8 X 5	9,53 X 127,0	6,380 lbs	9,494 kg
3/8 X 6	9,53 X 152,4	7,650 lbs	11,384 kg
3/8 X 7	9,53 X 177,8	8,930 lbs	13,289 kg
3/8 X 8	9,53 X 203,2	10,200 lbs	15,179 kg
3/8 X 10	9,53 X 254,0	12,750 lbs	18,974 kg
3/8 X 12	9,53 X 304,8	15,300 lbs	22,769 kg
1/2	12,7		
1/2 X 3/4	12,7 X 19,1	1,280 lbs	1,905 kg
1/2 X 1	12,7 X 25,4	1,700 lbs	2,530 kg
1/2 X 1 1/4	12,7 X 31,8	2,130 lbs	3,170 kg
1/2 X 1 1/2	12,7 X 38,1	2,550 lbs	3,795 kg
1/2 X 1 3/4	12,7 X 44,5	2,980 lbs	4,435 kg
1/2 X 2	12,7 X 50,8	3,400 lbs	5,060 kg
1/2 X 2 1/2	12,7 X 63,5	4,250 lbs	6,325 kg
1/2 X 2 3/4	12,7 X 69,9	4,680 lbs	6,965 kg
1/2 X 3	12,7 X 76,2	5,100 lbs	7,590 kg
1/2 X 3 1/2	12,7 X 88,9	5,950 lbs	8,855 kg
1/2 X 4	12,7 X 101,6	6,800 lbs	10,120 kg
1/2 X 4 1/2	12,7 X 114,3	7,650 lbs	11,384 kg
1/2 X 5	12,7 X 127,0	8,500 lbs	12,649 kg
1/2 X 6	12,7 X 152,4	10,200 lbs	15,179 kg
1/2 X 7	12,7 X 177,8	11,900 lbs	17,709 kg
1/2 X 8	12,7 X 203,2	13,600 lbs	20,239 kg
1/2 X 10	12,7 X 254,0	17,000 lbs	25,299 kg
1/2 X 12	12,7 X 304,8	20,400 lbs	30,359 kg

5/8	15,9		
5/8 X 3/4	15,9 X 19,1	1,590 lbs	2,366 kg
5/8 X 1	15,9 X 25,4	2,130 lbs	3,170 kg
5/8 X 1 1/4	15,9 X 31,8	2,660 lbs	3,959 kg
5/8 X 1 1/2	15,9 X 38,1	3,190 lbs	4,747 kg
5/8 X 1 3/4	15,9 X 44,5	3,720 lbs	5,536 kg
5/8 X 2	15,9 X 50,8	4,250 lbs	6,325 kg
5/8 X 2 1/2	15,9 X 63,5	5,310 lbs	7,902 kg
5/8 X 3	15,9 X 76,2	6,380 lbs	9,494 kg
5/8 X 3 1/2	15,9 X 88,9	7,440 lbs	11,072 kg
5/8 X 4	15,9 X 101,6	8,500 lbs	12,649 kg
5/8 X 4 1/2	15,9 X 114,3	9,560 lbs	14,227 kg
5/8 X 5	15,9 X 127,0	10,630 lbs	15,819 kg
5/8 X 6	15,9 X 152,4	12,750 lbs	18,974 kg
5/8 X 7	15,9 X 177,8	14,870 lbs	22,129 kg
5/8 X 8	15,9 X 203,2	17,000 lbs	25,299 kg
5/8 X 10	15,9 X 254,0	21,250 lbs	31,623 kg
5/8 X 12	15,9 X 304,8	25,500 lbs	37,948 kg
3/4	19,0		
3/4 X 1	19,0 X 25,4	2,550 lbs	3,795 kg
3/4 X 1 1/4	19,0 X 31,8	3,190 lbs	4,747 kg
3/4 X 1 1/2	19,0 X 38,1	3,830 lbs	5,700 kg
3/4 X 1 3/4	19,0 X 44,5	4,460 lbs	6,637 kg
3/4 X 2	19,0 X 50,8	5,100 lbs	7,590 kg
3/4 X 2 1/2	19,0 X 63,5	6,380 lbs	9,494 kg
3/4 X 3	19,0 X 76,2	7,650 lbs	11,384 kg
3/4 X 3 1/2	19,0 X 88,9	8,930 lbs	13,289 kg
3/4 X 4	19,0 X 101,6	10,200 lbs	15,179 kg
3/4 X 4 1/2	19,0 X 114,3	11,480 lbs	17,084 kg
3/4 X 5	19,0 X 127,0	12,750 lbs	18,974 kg
3/4 X 6	19,0 X 152,4	15,300 lbs	22,769 kg
3/4 X 7	19,0 X 177,8	17,850 lbs	26,564 kg
3/4 X 8	19,0 X 203,2	20,400 lbs	30,359 kg
3/4 X 10	19,0 X 254,0	25,500 lbs	37,948 kg
3/4 X 12	19,0 X 304,8	30,600 lbs	45,538 kg

7/8	22,2		
7/8 X 1	22,2 X 25,4	2,980 lbs	4,435 kg
7/8 X 1 1/4	22,2 X 31,8	3,720 lbs	5,536 kg
7/8 X 1 1/2	22,2 X 38,1	4,460 lbs	6,637 kg
7/8 X 1 3/4	22,2 X 44,4	5,210 lbs	7,753 kg
7/8 X 2	22,2 X 50,8	5,950 lbs	8,855 kg
7/8 X 2 1/2	22,2 X 63,5	7,440 lbs	11,072 kg
7/8 X 3	22,2 X 76,2	8,930 lbs	13,289 kg
7/8 X 3 1/2	22,2 X 88,9	10,410 lbs	15,492 kg
7/8 X 4	22,2 X 101,6	11,900 lbs	17,709 kg
7/8 X 4 1/2	22,2 X 114,3	13,390 lbs	19,927 kg
7/8 X 5	22,2 X 127,0	14,880 lbs	22,144 kg
7/8 X 5 1/2	22,2 X 139,7	16,360 lbs	24,346 kg
7/8 X 6	22,2 X 152,4	17,850 lbs	26,564 kg
7/8 X 8	22,2 X 203,2	23,800 lbs	35,418 kg
1	25,4		
1 X 1 1/4	25,4 X 31,8	4,250 lbs	6,325 kg
1 X 1 1/2	25,4 X 38,1	5,100 lbs	7,590 kg
1 X 1 3/4	25,4 X 44,5	5,950 lbs	8,855 kg
1 X 2	25,4 X 50,8	6,800 lbs	10,120 kg
1 X 2 1/2	25,4 X 63,5	8,500 lbs	12,649 kg
1 X 3	25,4 X 76,2	10,200 lbs	15,179 kg
1 X 3 1/2	25,4 X 88,9	11,900 lbs	17,709 kg
1 X 4	25,4 X 101,6	13,600 lbs	20,239 kg
1 X 4 1/2	25,4 X 114,3	15,300 lbs	22,769 kg
1 X 5	25,4 X 127,0	17,000 lbs	25,299 kg
1 X 6	25,4 X 152,4	20,400 lbs	30,359 kg
1 X 7	25,4 X 177,8	23,800 lbs	35,418 kg
1 X 8	25,4 X 203,2	27,200 lbs	40,478 kg
1 X 10	25,4 X 254,0	34,000 lbs	50,598 kg
1 X 11	25,4 X 279,4	37,400 lbs	55,657 kg
1 X 12	25,4 X 304,8	40,800 lbs	60,717 kg
1 1/4	31,8		
1 1/4 X 1 1/2	31,8 X 38,1	6,380 lbs	9,494 kg
1 1/4 X 2	31,8 X 50,8	8,500 lbs	12,649 kg
1 1/4 X 2 1/2	31,8 X 63,5	10,630 lbs	15,819 kg
1 1/4 X 3	31,8 X 76,2	12,750 lbs	18,974 kg
1 1/4 X 3 1/2	31,8 X 88,9	14,880 lbs	22,144 kg
1 1/4 X 4	31,8 X 101,6	17,000 lbs	25,299 kg
1 1/4 X 4 1/2	31,8 X 114,3	19,130 lbs	28,469 kg
1 1/4 X 5	31,8 X 127,0	21,250 lbs	31,623 kg
1 1/4 X 6	31,8 X 152,4	25,500 lbs	37,948 kg
1 1/4 X 8	31,8 X 203,2	34,000 lbs	50,598 kg

1 1/2	38,1		
1 1/2 X 2	38,1 X 50,8	10,200 lbs	15,179 kg
1 1/2 X 2 1/2	38,1 X 63,5	12,750 lbs	18,974 kg
1 1/2 X 3	38,1 X 76,2	15,300 lbs	22,769 kg
1 1/2 X 3 1/2	38,1 X 88,9	17,850 lbs	26,564 kg
1 1/2 X 4	38,1 X 101,6	20,400 lbs	30,359 kg
1 1/2 X 4 1/2	38,1 X 114,3	22,950 lbs	34,153 kg
1 1/2 X 5	38,1 X 127,0	25,500 lbs	37,948 kg
1 1/2 X 5 1/2	38,1 X 139,7	28,050 lbs	41,743 kg
1 1/2 X 6	38,1 X 152,4	30,600 lbs	45,538 kg
1 1/2 X 8	38,1 X 203,2	40,800 lbs	60,717 kg
1 1/2 X 9	38,1 X 228,6	45,900 lbs	68,307 kg
1 1/2 X 10	38,1 X 254,0	51,000 lbs	75,896 kg
1 1/2 X 12	38,1 X 304,8	61,200 lbs	91,076 kg
1 3/4	44,4		
1 3/4 X 2	44,4 X 50,8	11,900 lbs	17,709 kg
1 3/4 X 2 1/2	44,4 X 63,5	14,480 lbs	21,549 kg
1 3/4 X 3	44,4 X 76,2	17,850 lbs	26,564 kg
1 3/4 X 3 1/2	44,4 X 88,9	20,830 lbs	30,998 kg
1 3/4 X 4	44,4 X 101,6	23,800 lbs	35,418 kg
1 3/4 X 4 1/2	44,4 X 114,3	26,780 lbs	39,853 kg
1 3/4 X 5	44,4 X 127	29,750 lbs	44,273 kg
1 3/4 X 5 1/2	44,4 X 139,7	32,730 lbs	48,708 kg
1 3/4 X 6	44,4 X 125,4	35,700 lbs	53,127 kg
1 3/4 X 7	44,4 X 177,8	41,650 lbs	61,982 kg
1 3/4 X 8	44,4 X 203,2	74,600 lbs	111,017 kg
1 3/4 X 9	44,4 X 228,6	53,550 lbs	79,691 kg
1 3/4 X 10	44,4 X 254	59,500 lbs	88,546 kg
1 3/4 X 12	44,4 X 304,8	71,400 lbs	106,255 kg
2	50,8		
2 X 2 1/2	50,8 X 63,5	17,000 lbs	25,299 kg
2 X 3	50,8 X 76,2	20,400 lbs	30,359 kg
2 X 3 1/2	50,8 X 88,9	23,800 lbs	35,418 kg
2 X 4	50,8 X 101,6	27,200 lbs	40,478 kg
2 X 4 1/2	50,8 X 114,3	30,600 lbs	45,538 kg
2 X 5	50,8 X 127	34,000 lbs	50,598 kg
2 X 5 1/2	50,8 X 139,7	37,4 lbs	55,657 kg
2 X 6	50,8 X 125,4	40,8 lbs	60,717 kg
2 X 7	50,8 X 177,8	47,6 lbs	70,837 kg
2 X 8	50,8 X 203,2	54,4 lbs	80,956 kg
2 X 9	50,8 X 228,6	31,2 lbs	46,431 kg
2 X 10	50,8 X 254	68 lbs	101,195 kg
2 X 12	50,8 X 304,8	81,6 lbs	121,434 kg