

CORNIÈRE (FER ANGLE)

Vendu généralement en 10' / 20' / 40'

Certain format disponible en acier galvanisé

Possibilité d'être vendu coupé sur mesure

impériale		métric	
format	poids au pied	format (en mm)	poids au metre
1/2" x 1/2"		12.7 x 12.7	
1/2" x 1/2" x 1/8"	0,380 lbs./pi	12.7 x 12.7 x 3.18	0,566 kg/mètre
3/4" x 3/4"		19 x 19	
3/4" x 3/4" x 1/8"	0,590 lbs./pi	19 x 19 x 3.18	0,878 kg/mètre
1" x 1"		25.4 x 25.4	
1" x 1" x 1/8"	0,800 lbs./pi	25.4 x 25.4 x 3.18	1,191 kg/mètre
1" x 1" x 3/16"	1,160 lbs./pi	25.4 x 25.4 x 4.76	1,726 kg/mètre
1 1/4" x 1 1/4" x 1/8"	1,010 lbs./pi	31.8 x 31.8 x 3.18	1,503 kg/mètre
1" x 1" x 1/4"	1,490 lbs./pi	25.4 x 25.4 x 6.35	2,217 kg/mètre
1 1/4" x 1 1/4"		31.8 x 31.8	
1 1/4" x 1 1/4" x 1/8"	1,010 lbs./pi	31.8 x 31.8 x 3.18	1,503 kg/mètre
1 1/4" x 1 1/4" x 3/16"	1,480 lbs./pi	31.8 x 31.8 x 4.76	2,202 kg/mètre
1 1/4" x 1 1/4" x 1/4"	1,920 lbs./pi	31.8 x 31.8 x 6.35	2,857 kg/mètre
1 1/2" x 1 1/2"		38.1 x 38.1	
1 1/2" x 1 1/2" x 1/8"	1,230 lbs./pi	38.1 x 38.1 x 3.18	1,830 kg/mètre
1 1/2" x 1 1/2" x 3/16"	1,800 lbs./pi	38.1 x 38.1 x 4.76	2,679 kg/mètre
1 1/2" x 1 1/2" x 1/4"	2,340 lbs./pi	38.1 x 38.1 x 6.35	3,482 kg/mètre
1 1/2" x 1 1/2" x 5/16"	2,860 lbs./pi	38.1 x 38.1 x 7.94	4,256 kg/mètre
1 1/2" x 1 1/2" x 3/8"	3,350 lbs./pi	38.1 x 38.1 x 9.53	4,985 kg/mètre
1 3/4" x 1 3/4"		44.4 x 44.4	
1 3/4" x 1 3/4" x 1/8"	1,440 lbs./pi	44.4 x 44.4 x 3.18	2,143 kg/mètre
1 3/4" x 1 3/4" x 3/16"	2,120 lbs./pi	44.4 x 44.4 x 4.76	3,155 kg/mètre
1 3/4" x 1 3/4" x 1/4"	2,770 lbs./pi	44.4 x 44.4 x 6.35	4,122 kg/mètre
1 3/4" x 1 3/4" x 5/16"	3,390 lbs./pi	44.4 x 44.4 x 7.94	5,045 kg/mètre
2" x 1 1/2"		50.8 x 38.1	
2" x 1 1/2" x 1/8"	1,440 lbs./pi	50.8 x 38.1 x 3.18	2,143 kg/mètre
2" x 1 1/2" x 3/16"	2,120 lbs./pi	50.8 x 38.1 x 4.76	3,155 kg/mètre
2" x 1 1/2" x 1/4"	2,770 lbs./pi	50.8 x 38.1 x 6.35	4,122 kg/mètre
2" x 1 1/2" x 5/16"	3,390 lbs./pi	50.8 x 38.1 x 7.94	5,045 kg/mètre

2" x 2"		50.8 x 50.8	
2" x 2" x 1/8"	1,650 lbs./pi	50.8 x 50.8 x 3.18	2,455 kg/mètre
2" x 2" x 3/16"	2,440 lbs./pi	50.8 x 50.8 x 4.76	3,631 kg/mètre
2" x 2" x 1/4"	3,190 lbs./pi	50.8 x 50.8 x 6.35	4,747 kg/mètre
2" x 2" x 5/16"	3,920 lbs./pi	50.8 x 50.8 x 7.94	5,834 kg/mètre
2" x 2" x 3/8"	4,700 lbs./pi	50.8 x 50.8 x 9.53	6,994 kg/mètre
2 1/2" x 1 1/2"		63.5 x 38.1	
2 1/2" x 1 1/2" x 3/16"	2,440 lbs./pi	63.5 x 38.1 x 4.76	3,631 kg/mètre
2 1/2" x 1 1/2" x 1/4"	3,190 lbs./pi	63.5 x 38.1 x 6.35	4,747 kg/mètre
2 1/2" x 1 1/2" x 5/16"	3,920 lbs./pi	63.5 x 38.1 x 7.94	5,834 kg/mètre
2 1/2" x 2"		63.5 x 50.8	0,000 kg/mètre
2 1/2" x 2" x 3/16"	2,750 lbs./pi	63.5 x 50.8 x 4.76	4,092 kg/mètre
2 1/2" x 2" x 1/4"	3,620 lbs./pi	63.5 x 50.8 x 6.35	5,387 kg/mètre
2 1/2" x 2" x 5/16"	4,500 lbs./pi	63.5 x 50.8 x 7.94	6,697 kg/mètre
2 1/2" x 2" x 3/8"	5,300 lbs./pi	63.5 x 50.8 x 9.53	7,887 kg/mètre
2 1/2" x 2 1/2"		63.5 x 63.5	
2 1/2" x 2 1/2" x 1/8"	2,080 lbs./pi	63.5 x 63.5 x 3.18	3,095 kg/mètre
2 1/2" x 2 1/2" x 3/16"	3,070 lbs./pi	63.5 x 63.5 x 4.76	4,569 kg/mètre
2 1/2" x 2 1/2" x 1/4"	4,100 lbs./pi	63.5 x 63.5 x 6.35	6,101 kg/mètre
2 1/2" x 2 1/2" x 5/16"	5,000 lbs./pi	63.5 x 63.5 x 7.94	7,441 kg/mètre
2 1/2" x 2 1/2" x 3/8"	5,900 lbs./pi	63.5 x 63.5 x 9.53	8,780 kg/mètre
2 1/2" x 2 1/2" x 1/2"	7,700 lbs./pi	63.5 x 63.5 x 12.70	11,459 kg/mètre
3" x 2"		76.2 x 50.8	
3" x 2" x 3/16"	3,070 lbs./pi	76.2 x 50.8 x 4.76	4,569 kg/mètre
3" x 2" x 1/4"	4,100 lbs./pi	76.2 x 50.8 x 6.35	6,101 kg/mètre
3" x 2" x 5/16"	5,000 lbs./pi	76.2 x 50.8 x 7.94	7,441 kg/mètre
3" x 2" x 3/8"	5,900 lbs./pi	76.2 x 50.8 x 9.53	8,780 kg/mètre
3" x 2" x 1/2"	7,700 lbs./pi	76.2 x 50.8 x 12.70	11,459 kg/mètre
3" x 2 1/2"		76.2 x 63.5	
3" x 2 1/2" x 3/16"	3,390 lbs./pi	76.2 x 63.5 x 4.76	5,045 kg/mètre
3" x 2 1/2" x 1/4"	4,500 lbs./pi	76.2 x 63.5 x 6.35	6,697 kg/mètre
3" x 2 1/2" x 5/16"	5,600 lbs./pi	76.2 x 63.5 x 7.94	8,334 kg/mètre
3" x 2 1/2" x 3/8"	6,600 lbs./pi	76.2 x 63.5 x 9.53	9,822 kg/mètre
3" x 2 1/2" x 1/2"	8,500 lbs./pi	76.2 x 63.5 x 12.70	12,649 kg/mètre
3" x 3"		76.2 x 76.2	
3" x 3" x 3/16"	3,710 lbs./pi	76.2 x 76.2 x 4.76	5,521 kg/mètre
3" x 3" x 1/4"	4,900 lbs./pi	76.2 x 76.2 x 6.35	7,292 kg/mètre
3" x 3" x 5/16"	6,100 lbs./pi	76.2 x 76.2 x 7.94	9,078 kg/mètre
3" x 3" x 3/8"	7,200 lbs./pi	76.2 x 76.2 x 9.53	10,715 kg/mètre
3" x 3" x 1/2"	9,400 lbs./pi	76.2 x 76.2 x 12.70	13,989 kg/mètre

3 1/2" x 2 1/2"		88.9 x 63.5	
3 1/2" x 2 1/2" x 1/4"	4,900 lbs./pi	88.9 x 63.5 x 6.35	7,292 kg/mètre
3 1/2" x 2 1/2" x 5/16"	6,100 lbs./pi	88.9 x 63.5 x 7.94	9,078 kg/mètre
3 1/2" x 2 1/2" x 3/8"	7,200 lbs./pi	88.9 x 63.5 x 9.53	10,715 kg/mètre
3 1/2" x 2 1/2" x 1/2"	9,400 lbs./pi	88.9 x 63.5 x 12.70	13,989 kg/mètre
3 1/2" x 3"		88.9 x 76.2	
3 1/2" x 3" x 1/4"	5,400 lbs./pi	88.9 x 76.2 x 6.35	8,036 kg/mètre
3 1/2" x 3" x 5/16"	6,600 lbs./pi	88.9 x 76.2 x 7.94	9,822 kg/mètre
3 1/2" x 3" x 3/8"	7,900 lbs./pi	88.9 x 76.2 x 9.53	11,756 kg/mètre
3 1/2" x 3" x 1/2"	10,200 lbs./pi	88.9 x 76.2 x 12.70	15,179 kg/mètre
3 1/2" x 3 1/2"		88.9 x 88.9	
3 1/2" x 3 1/2" x 1/4"	5,800 lbs./pi	88.9 x 88.9 x 6.35	8,631 kg/mètre
3 1/2" x 3 1/2" x 5/16"	7,200 lbs./pi	88.9 x 88.9 x 7.94	10,715 kg/mètre
3 1/2" x 3 1/2" x 3/8"	8,500 lbs./pi	88.9 x 88.9 x 9.53	12,649 kg/mètre
3 1/2" x 3 1/2" x 1/2"	11,100 lbs./pi	88.9 x 88.9 x 12.70	16,519 kg/mètre
4" x 3"		101.6 x 76.2	
4" x 3" x 1/4"	5,800 lbs./pi	101.6 x 76.2 x 6.35	8,631 kg/mètre
4" x 3" x 5/16"	7,200 lbs./pi	101.6 x 76.2 x 7.94	10,715 kg/mètre
4" x 3" x 3/8"	8,500 lbs./pi	101.6 x 76.2 x 9.53	12,649 kg/mètre
4" x 3" x 1/2"	11,100 lbs./pi	101.6 x 76.2 x 12.70	16,519 kg/mètre
4" x 3" x 5/8"	13,600 lbs./pi	101.6 x 76.2 x 15.90	20,239 kg/mètre
4" x 3 1/2"		101.6 x 88.9	
4" x 3 1/2" x 1/4"	6,200 lbs./pi	101.6 x 88.9 x 6.35	9,227 kg/mètre
4" x 3 1/2" x 5/16"	7,700 lbs./pi	101.6 x 88.9 x 7.94	11,459 kg/mètre
4" x 3 1/2" x 3/8"	9,100 lbs./pi	101.6 x 88.9 x 9.53	13,542 kg/mètre
4" x 3 1/2" x 1/2"	11,900 lbs./pi	101.6 x 88.9 x 12.70	17,709 kg/mètre
4" x 3 1/2" x 5/8"	14,700 lbs./pi	101.6 x 88.9 x 15.90	21,876 kg/mètre
4" x 4"		101.6 x 101.6	
4" x 4" x 1/4"	6,600 lbs./pi	101.6 x 101.6 x 6.35	9,822 kg/mètre
4" x 4" x 5/16"	8,200 lbs./pi	101.6 x 101.6 x 7.94	12,203 kg/mètre
4" x 4" x 3/8"	9,800 lbs./pi	101.6 x 101.6 x 9.53	14,584 kg/mètre
4" x 4" x 1/2"	12,800 lbs./pi	101.6 x 101.6 x 12.70	19,048 kg/mètre
4" x 4" x 5/8"	15,700 lbs./pi	101.6 x 101.6 x 15.90	23,364 kg/mètre
4" x 4" x 3/4"	18,500 lbs./pi	101.6 x 101.6 x 18.50	27,531 kg/mètre
5" x 3"		127 x 76.2	
5" x 3" x 1/4"	6,600 lbs./pi	127 x 76.2 x 6.35	9,822 kg/mètre
5" x 3" x 5/16"	8,200 lbs./pi	127 x 76.2 x 7.94	12,203 kg/mètre
5" x 3" x 3/8"	9,800 lbs./pi	127 x 76.2 x 9.53	14,584 kg/mètre
5" x 3" x 1/2"	12,800 lbs./pi	127 x 76.2 x 12.70	19,048 kg/mètre

5" x 3 1/2"		127 x 88.9	
5" x 3 1/2" x 1/4"	7,000 lbs./pi	127 x 88.9 x 6.35	10,417 kg/mètre
5" x 3 1/2" x 5/16"	8,700 lbs./pi	127 x 88.9 x 7.94	12,947 kg/mètre
5" x 3 1/2" x 3/8"	10,400 lbs./pi	127 x 88.9 x 9.53	15,477 kg/mètre
5" x 3 1/2" x 1/2"	13,600 lbs./pi	127 x 88.9 x 12.70	20,239 kg/mètre
5" x 3 1/2" x 5/8"	16,800 lbs./pi	127 x 88.9 x 15.90	25,001 kg/mètre
5" x 3 1/2" x 3/4"	19,800 lbs./pi	127 x 88.9 x 19.0	29,466 kg/mètre
5" x 5"		127 x 127	
5" x 5" x 5/16"	10,300 lbs./pi	127 x 127 x 7.94	15,328 kg/mètre
5" x 5" x 3/8"	12,300 lbs./pi	127 x 127 x 9.53	18,304 kg/mètre
5" x 5" x 1/2"	16,200 lbs./pi	127 x 127 x 12.70	24,108 kg/mètre
5" x 5" x 5/8"	20,000 lbs./pi	127 x 127 x 15.90	29,763 kg/mètre
5" x 5" x 3/4"	23,600 lbs./pi	127 x 127 x 19.0	35,121 kg/mètre
6" x 3 1/2"		152.4 x 88.9	
6" x 3 1/2" x 5/16"	9,800 lbs./pi	152.4 x 88.9 x 7.94	14,584 kg/mètre
6" x 3 1/2" x 3/8"	11,700 lbs./pi	152.4 x 88.9 x 9.53	17,412 kg/mètre
6" x 3 1/2" x 1/2"	15,300 lbs./pi	152.4 x 88.9 x 12.70	22,769 kg/mètre
6" x 4"		152.4 x 101.6	
6" x 4" x 5/16"	10,300 lbs./pi	152.4 x 101.6 x 7.94	15,328 kg/mètre
6" x 4" x 3/8"	12,300 lbs./pi	152.4 x 101.6 x 9.53	18,304 kg/mètre
6" x 4" x 1/2"	16,200 lbs./pi	152.4 x 101.6 x 12.70	24,108 kg/mètre
6" x 4" x 5/8"	20,000 lbs./pi	152.4 x 101.6 x 15.90	29,763 kg/mètre
6" x 4" x 3/4"	23,600 lbs./pi	152.4 x 101.6 x 19.0	35,121 kg/mètre
6" x 6"		152.4 x 152.4	
6" x 6" x 3/8"	14,900 lbs./pi	152.4 x 152.4 x 9.53	22,174 kg/mètre
6" x 6" x 1/2"	19,600 lbs./pi	152.4 x 152.4 x 12.70	29,168 kg/mètre
6" x 6" x 5/8"	24,200 lbs./pi	152.4 x 152.4 x 15.90	36,014 kg/mètre
6" x 6" x 3/4"	28,700 lbs./pi	152.4 x 152.4 x 19.0	42,710 kg/mètre
6" x 6" x 7/8"	33,100 lbs./pi	152.4 x 152.4 x 22.2	49,258 kg/mètre
6" x 6" x 1"	37,400 lbs./pi	152.4 x 152.4 x 25.4	55,657 kg/mètre
7" x 4"		177.8 x 101.6	
7" x 4" x 3/8"	13,600 lbs./pi	177.8 x 101.6 x 9.53	20,239 kg/mètre
7" x 4" x 1/2"	17,900 lbs./pi	177.8 x 101.6 x 12.70	26,638 kg/mètre
7" x 4" x 5/8"	22,100 lbs./pi	177.8 x 101.6 x 15.90	32,888 kg/mètre
7" x 4" x 3/4"	26,200 lbs./pi	177.8 x 101.6 x 19.0	38,990 kg/mètre
8" x 4"		203.2 x 101.6	
8" x 4" x 7/16"	17,200 lbs./pi	203.2 x 101.6 x 11.1	25,596 kg/mètre
8" x 4" x 1/2"	19,600 lbs./pi	203.2 x 101.6 x 12.70	29,168 kg/mètre
8" x 4" x 5/8"	24,200 lbs./pi	203.2 x 101.6 x 15.90	36,014 kg/mètre
8" x 4" x 3/4"	28,700 lbs./pi	203.2 x 101.6 x 19.0	42,710 kg/mètre
8" x 4" x 1"	37,400 lbs./pi	203.2 x 101.6 x 25.4	55,657 kg/mètre

8" x 6"		203.2 x 152.4	
8" x 6" x 1/2"	23,000 lbs./pi	203.2 x 152.4 x 12.70	34,228 kg/mètre
8" x 6" x 9/16"	25,700 lbs./pi	203.2 x 152.4 x 14.3	38,246 kg/mètre
8" x 6" x 5/8"	28,500 lbs./pi	203.2 x 152.4 x 15.90	42,413 kg/mètre
8" x 6" x 3/4"	33,800 lbs./pi	203.2 x 152.4 x 19.0	50,300 kg/mètre
8" x 6" x 1"	44,200 lbs./pi	203.2 x 152.4 x 25.4	65,777 kg/mètre
8" x 8"		203.2 x 203.2	
8" x 8" x 1/2"	26,400 lbs./pi	203.2 x 203.2 x 12.70	39,288 kg/mètre
8" x 8" x 5/8"	32,700 lbs./pi	203.2 x 203.2 x 15.90	48,663 kg/mètre
8" x 8" x 3/4"	38,900 lbs./pi	203.2 x 203.2 x 19.0	57,890 kg/mètre
8" x 8" x 7/8"	45,000 lbs./pi	203.2 x 203.2 x 22.2	66,967 kg/mètre
8" x 8" x 1"	51,000 lbs./pi	203.2 x 203.2 x 25.4	75,896 kg/mètre
9" x 4"		228.6 x 101.6	
9" x 4" x 1/2"	21,300 lbs./pi	228.6 x 101.6 x 12.70	31,698 kg/mètre
9" x 4" x 5/8"	26,300 lbs./pi	228.6 x 101.6 x 15.90	39,139 kg/mètre
9" x 4" x 3/4"	31,300 lbs./pi	228.6 x 101.6 x 19.0	46,580 kg/mètre
9" x 4" x 7/8"	36,100 lbs./pi	228.6 x 101.6 x 22.2	53,723 kg/mètre
9" x 4" x 1"	40,800 lbs./pi	228.6 x 101.6 x 25.4	60,717 kg/mètre